

# 1. Care Standard & DDA Compliant Bedroom Locksets

## Planning for Accessibility

The Disability Discrimination Act 1995 (DDA) requires service providers to make 'reasonable adjustments' to their premises to allow access and use by the public & disabled. With reference to door furniture for new builds, particular attention must be paid to colour and tonal contrast between doors and ironmongery and ease of use of ironmongery. Certain colour combinations and lock types may fall foul of this act as they would make it difficult for visually impaired people to find door handles and to effectively use them - the distance between the lever and lock is approx 72mm as opposed to 48mm allowing it to be more easily reached & gripped.

Identified are a selection of DDA, Care Standard and Fire Service compliant locks sets available.

- ◆ Meets Care Standard requirements for **privacy, security & access in the event of an emergency.**
- ◆ Meets Fire Service requirement for Single mechanical operation for egress/exit\*
- ◆ Suitable for all capability users
- ◆ Internal thumbturn for privacy
- ◆ External key operation for security and access
- ◆ **Under Master Key System**

\*Single mechanical operation for egress/exit - In the event that the deadbolt is engaged, to exit room, deadbolt and latch withdrawn simultaneously by push down of inside lever handle.

Care Compliant Bedroom Lockset comprises of:

- ◆ Lever Handles Set
- ◆ Escape mortice lock, fittings & escutcheons
- ◆ 70mm cylinder (Key & Thumbturn) w/two keys under master key

Plus Masterkey (2 keys recommended as minimum)

Matching latch, lock, bathroom furniture available

**Extended thumb turn and key for the less abled**



08-1050AL-19mm  
08-1050GA-19mm  
08-1055AL-22mm  
08-1055SS-19mm  
08-1055SS-22mm



08-1050  $\phi$  19mm  
08-1055  $\phi$  22mm  
available in RAL colours



08-1060  $\phi$  21mm

## 2. Care & Fire Service Compliant Bedroom Lockset

### Single egress functionality as specified by Fire Service

- ◆ Meets Care Standard requirements for privacy, security & access in the event of an emergency.
- ◆ Meets Fire Service requirement for single mechanical operation for egress/exit\*
- ◆ Internal thumbturn for privacy
- ◆ External key operation for security and access
- ◆ **Under Master Key System**

\*Single mechanical operation for egress/exit - In the event that the dead bolt is engaged, to exit room, deadbolt and latch withdrawn simultaneously by pushing down of inside lever handle.

Care Compliant Bedroom Lockset comprises of:

- ◆ Lever Handles Set
  - ◆ Escape mortice lock & fittings
  - ◆ 70mm cylinder (Key & Thumbturn) w/two keys under master key
- Plus Masterkey (2 keys recommended as minimum)

Matching latch, lock, bathroom furniture available

### Alternative designs & finishes available

Finishes:  
 AL - Satin Aluminium  
 GA - Gold Anodised Aluminium  
 PB - Polish Brass  
 PC - Polish Chrome  
 SC - Satin Chrome



**Charles  
 Bedroom Lock Set**  
 08-1017PB 08-1017PC 08-1011SC



**Victorian  
 Bedroom Lock Set**  
 08-1010PB 08-1011PC 08-1011SC



**Edwardian  
 Bedroom Lock Set**  
 08-1016PB



**Aluminium Radius  
 (Safety) Bedroom  
 Lock Set**  
 08-1014AL  
 08-1015GA



**Aluminium (Safety)  
 Bedroom Lock Set**  
 08-1019AL  
 08-1019GA



**Victorian  
 Aluminium  
 Bedroom Lock Set**  
 08-1013AL

### 3. Dorgard Solve the problem of wedged open fire doors



Dorgard is an acoustically activated fire door hold open device designed to protect buildings and save peoples' lives, whilst allowing freedom of access, which is an everyday issue in occupied buildings

Providing a solution for fire door retaining problems - Dorgard

- ◆ automatically releases when the fire alarm sounds
- ◆ battery operated, wire-free solution
- ◆ easy foot operated release and adjustment
- ◆ installs in under 10 minutes
- ◆ complies with BS EN 1155 and accepted by the fire brigade
- ◆ improves access for wheelchair users
- ◆ in line with the DDA



08-1008DG



#### How Dorgard Works

Once the unit is fixed to your door, open the fire door to the required position and simply step on the black plunger to depress the rubber supplied. The ferrule makes contact with the floor, keeping a fire door open in any position. Dorgard then listens for the fire alarm. When the alarm sounds, an integral microphone responds, electronically releasing the rubber ferrule, allowing the door to swing closed under the power of the overhead door closer.

Dorgard X Series incorporates the latest radio technology with existing acoustic expertise. It is the ideal solution for exceptionally noisy environments e.g. restaurants, bars, shops and leisure facilities.

#### New Generation Dorgard 1328-A01 Kit:

Kit Includes: 1 Dorgard, 2 C size alkaline batteries, 1 fitting template, 1 user guide, 1 fire door label, 1 'do not use' card, 1 floor plate, 1 spare ferrule and all fixing screws.

#### Compliance of Dorgard Standards:

Dorgard complies fully with all relevant European Directives and workplace Regulations (Fire Precautions) 1197

#### Specification

Overall height: 205mm  
Width: 195mm, Depth 45mm  
Plunger/stopper travel 20mm  
Packed kit weight: 940g  
Case material: Tough ABS  
Battery: 2 x C alkaline (LR14)



**DORGARD** Approved Supplier

## 4. Master Key System Solve the problem of too many keys

A master keyed system allows different groups of people or individuals to gain access to all or individually defined areas of a building. For example, within the Nursing or Care Home environment, cleaning staff may have access to bedrooms and store rooms but the manager may have access to all rooms.

Universal Hardware Direct is able to provide a Master Keyed system to suit most applications. A Master Keyed system, when applied to Bedroom locks, also meets the Care Standard requirement for “access in the event of an emergency” by allowing staff to override locked bedroom doors.

34-1067



Master Keyed systems can be incorporated into the building at any time during its life.

Option exists in providing a patented system to stop any illicit duplication of Keys which would compromise the Master Keyed system

# 5. Window Restrictors Solutions that set new standards



## Securistay

The Securistay is designed specifically with safety in mind & restricts window opening to 75mm (3"). It allows ventilation with security. Available in two finishes - white and brown. A special key is used to unlock/lock and can only be disconnected with the window is closed. It is available for wooden, metal framed and uPVC windows.

**31-1335 - Wooden windows**

**31-1336 - Metal windows**

**Folding Openers:** Folding openers are designed to make operation both smooth and reliable with guaranteed longevity for all applications. When used in a bar design, the folding openers allow easy grip and handling, particularly when used by a disabled or elderly people. The folding openers incorporate an over centre "snap" action to give positive closure. Optional locking features are also available.



## Folding Openers: Designs



**Standard.**

30-1063



**Extended**

30-1064



**Foldaside**

30-1064/F



**Releasable**

30-1064/R



**Locking**

30-1064/L



**Quadilent Stay:** These stays hold the sash window in the open position yet restrict the opening and have a degree of security when in the closed position.



## 6. Window Security



The Flush Pivot Lock is suitable for most wooden windows including casement, side hung, pivot, top hung and sliding. Each lock is supplied with a box keep in matching finish.

**30-1100**



The Snaplock can be used on most types of windows including casement, side hung or top hung. Closing the window locks the Snaplock automatically, the key is only required to unlock.

**30-1090**



The Staylock replaces existing pegs with a new threaded system with locking nut operation by a standard key. It is suitable for wooden casement windows, fitted with most through peg stays – Stay not supplied.

**30-1060/1**



The Sash Jammer is ideal additional security for uPVC windows. It is simple to operate and easy to fit, and is non-handed for use on all applications.

**30-1120**



Window Bolt is suitable for most types of wooden windows including casement, side hung, top hung and sash windows.

**30-1095**

Lockable Casement Fastener



**30-1062**

Lockable Casement Stay



**30-1061**


# 7. Digital Locking Systems

## Coded Locks - Security at your fingertips




Ideal for restricting access for low usage doors i.e. staff room, office, linen room ..

- ◆ Fully Mechanical
- ◆ Easy to fit, all parts & fixings included
- ◆ Suitable for internal & external use
- ◆ Code can be changed quickly
- ◆ Over 8,000 codes
- ◆ Available in Stainless Steel or Polished Brass



Mortice Latch  
optional w/hold open

**34-CL250**




Mortice Deadbolt

**34-CL210**



Back to Back  
Coded both sides

**34-CL290BB**



Key Access

**34-290KEY**



Back to Back  
W/Key

**34-CL290BBKEY**



**34-CL400**

- Medium duty - full size lever handles
- ◆ Inside handle retracts latch for exit
  - ◆ Tough PVD lifetime finish (Stainless Steel & Polish Brass)
  - ◆ Stainless Steel buttons
  - ◆ Reversible handles
  - ◆ Optional "code free" operation

Also available:  
Model 410/415

400 & 500 Series  
Complete w/full "Panic  
Function" mortice lock and  
double europrofile cylinders



**34-CL500**

- ◆ Heavy duty coded lock with full size lever handles for use in high traffic situations.

### Electronic Locks

- ◆ Programming Code changes
- ◆ Low voltage warning signal low battery power
- ◆ Key override
- ◆ Locks supplied with a 60mm backset
- ◆ Locked • / unlocked • LED indicator option
- ◆ 34-4010SS LOW / MEDIUM traffic.
- ◆ 34-5010SS MEDIUM / HIGH traffic.



**34-4010SS**

Finishes: Polish Brass & Stainless Steel



**34-5010SS**

# 8. Audio & Video Door Entry Systems

## Audio Entry



01-3001 - One Way Audio  
01-3002 - Two Way Audio

- ◆ Complete One Way System
- ◆ Surface mounted (optional flush mount)
- ◆ Kit consists of :
  - 1 Smart Telephone
  - 1 Button Telephone
  - 1 Front Plate (Aluminium, Gold anodised and White)
  - 1 Power Transformer

**Operation:** Press button on front panel to buzz handset, lift receiver for 2 way speech, press release button on handset to open door

## Audio & Video Entry

- ◆ Complete One Way System
- ◆ Surface mounted (optional flush mount)
- ◆ Kit consists of :
  - 1 Flat Monitor
  - 1 Button door panel with CCD camera (front plate SSS) complete with rainsheild
  - 1 Power Trasformer

**Operation:** Press button on front panel to buzz handset, gives Audio/Video. Press release button on handset to open door.



01-3004



Both systems may require

- ◆ Electric Lock
- ◆ Door Closer
- ◆ Pull handle/Push plate
- ◆ Cable

**Multiway Entry System available on request.**



# 9. Surface Protection System

**Corner Protection Angles and Trims** provide protection to vulnerable corners, available in a range of sizes and materials, designed to protect corners from impact damage caused by either vehicular or pedestrian traffic.

**Standard angles** are available, in both 90° and 135°, and the following sizes: 78 x 78mm, 40 x 40mm, 22 x 22mm. They are normally supplied in 1.22m units..

**Wall Protection Panels (06-1030)** offer the complete solution to damage that occurs at varying heights. Panels can be installed floor to ceiling, if necessary, but are more commonly fitted above skirting to mid height.



Panels can be cut to any size with standard sheets available in 2.200m x 2.200m sheets.



**Skirting** is designed to provide a hygienic, and easily installed and maintained, alternative to traditional timber or tiled skirting

The skirting is extruded in lengths of 3.5m, has a projection of 10mm, and is 100mm or 125mm deep. External/internal corners have 250 x 250mm legs



**Door Protection Panels & Plates (Kickplates)** (06-1035) provides protection to vulnerable door surfaces from damage caused by vehicular and pedestrian traffic.

**Door Edge Protectors** Give existing damaged doors a new lease of life and may be fitted to new or existing fire doors, on the leading and hinged edges, without affecting the door's fire integrity. As the door determines the size, all Protectors are supplied to order.



The following products are also available:

**Frame and Architrave Protectors** - comprises rail and a range of compatible accessories.

**Protection Strip** - used to protect doors, can be used as an economical way of protecting walls.

**Handrail** - neatly combines a rounded grip handrail and a protection rail.

# 10. Magnetic Door Retainer and Holder

Mounted on a fixed surface, these electro-magnetic door retainers ensure retention of the door by means of a smart metallic keeper plate.

They are designed to hold open fire doors and are ideally suited for care and nursing homes, hospitals, schools and other public buildings. In a fire situation the doors can be released automatically via a connection to the fire alarm system or manually by operating the release button. Power supply unit also required.

- ◆ Strong metal enclosure
- ◆ 12vDC/24vDC powered
- ◆ Flush or surface mounted swivel keeper
- ◆ Plate or floor mounted with use of bracket
- ◆ Manual release button
- ◆ Simple & easy to install
- ◆ Spring loaded ejector pin
- ◆ Chain held models available
- ◆ 1 Year Warranty.

## Floor/ Surface Mounted Magnet

Test Button  
Integral Over Ride  
Black Finish



Field: Fail Safe  
Voltage: 12vDC/24vDC  
Current: 0.1A  
31-1371

## Wall/ Surface Mounted Magnet

Test Button  
Integral Over Ride  
Black Finish



Field: Fail Safe  
Voltage: 12vDC/24vDC  
Current: 0.1A  
31-1370

## Floor/Wall Mounted Magnet

Test Button  
Integral Over Ride  
Black/White Finish



Field: Fail Safe  
Voltage: 12vDC/24vDC  
Current: 0.1A  
31-1334

## Floor/Wall Mounted Magnet

Push to Release Test Button  
500N



Field: Fail Safe  
Voltage: 24vDC (1.5W)  
Current: 0.1A  
31-1372

## Floor/Wall Mounted Magnet

Push to Release Test Button  
Stylish Modern Design



Field: Fail Safe  
Voltage: 12vDC/24vDC  
Current: 0.1A  
31-1373 90Deg  
31-1374

## PSU Transformer rectifier/relay -

The specification depends on the number of magnetic units that require support.

01-1010/1/2/6



# 11. Door Closers

## Performance, Style & Choice

The door closer is an important link in the control of fire and smoke, and in practice could help to save lives. Product ranges from basic standard fixed size to selectable sizes with options of backcheck, delayed action and electro-magnetic door closures.

### “Swing Free”/“Hold-Open” Door Closer

The electro-magnetic door control system provides the solution to meeting the requirements of the Disability Discrimination Act and the need for fire safety. Available as “swing-free” or “hold-open” function - ideal for use in areas used by the elderly or infirm. They can be set to hold the door open at any angle between 70° and 100°, or to swing freely until the fire alarm is activated or the power fails

### Door Closer Configuration

#### Size 3

- ◆ Suitable for doors upto 60kgs
- ◆ Adjustable closing and latching speed  
31-1229-3  
31-1230

#### Size 4

- ◆ Suitable for doors upto 80kg
- ◆ Adjustable closing and latching speed  
31-1061

#### Size 2-4

- ◆ Suitable upto 80kg door
- ◆ Power adjustable
- ◆ Backcheck
- ◆ Delayed action
- ◆ Adjustable closing and latching speed  
31-1057

#### Size 2-6

- ◆ Suitable upto 120kg door
- ◆ Power adjustable
- ◆ Backcheck
- ◆ Delayed action
- ◆ Adjustable closing and latching speed  
31-1064



**Arrone**



**Briton**



31-1052



31-1360



31-1237F



31-1229-2/3/4

**Door Selector**



31-1012SAA

**Perkomatic**



31-1058

**Perko**



31-1053

**Perko Powermatic**



31-1390

## 12. Automatic Door Closer DDA Compliant

Universal Hardware Direct UK Ltd is able to offer simple cost effective solutions to the challenge of automating existing swing doors to comply with the **Disability Discrimination Act (1995)**, without compromising safety or user convenience. Low energy swing door operators allows doors to be opened under power when required, by use of a “push-pad” or “Entry/Exit Switch”, and to be used manually at other times. The door closer opens and closes the door at a controlled, predetermined speed.

**The Spirit 2005** is a Low Energy operator intended for light duty swing doors. This really is a truly innovative design which has many features including battery backup in event of Power failure with the ability to select Push & Go or Low Energy operation mode. The Low Energy facility makes the Spirit 2005 particularly suitable in Hospitals, County Councils, Borough Councils, Nursing Homes and Public Buildings where elderly and disabled access is required. A particular safety feature of the Spirit 2005 ensures that if it meets an obstruction on its closing cycle it will immediately re-open before automatically closing slowly whilst searching for obstruction. On the opening cycle the reverse occurs.



**Spirit 2005**  
31-1400



Easy to install



Low Cost



Low Maintenance

**The Spirit 2006** is a robust low Energy operator for swing doors. The Spirit 2006 is for doors up to 100kg, which are subjected to continuous use and is particularly suitable for use in Hospitals, County Councils, Nursing Homes and Public Buildings where elderly and disabled access is required. With its geared motor the opening-closing speed adjustments are under constant control with an anti-crush feature for maximum safety. With motor driven opening and spring operated closing, the Spirit 2006 can be used for Fire Exit doors and is ideal for installations requiring gentle and easy movement rather than great force.



**Spirit 2006**  
31-1401



# 13. Escape & Panic Hardware Flexibility & Choice

Universal Hardware Direct UK Ltd offers a complete line of escape and panic devices meeting a full range of hardware requirements found in such places as hospitals, care homes, universities, offices, hotels and commercial buildings.

## What Application?


Every new build or replacement panic and emergency exit application is required to comply with European safety legislation and European standards BS EN 1125 and BS EN 179

## Panic Application - BS EN 1125

A panic application is where the exit door is used by the public and provides **“safe and effective escape through the door way with minimum effort and without prior knowledge of operation”** such as theatres, shops, schools, hospitals, cinemas.

## Emergency Application - BS EN 179

An emergency application is where the exit door is **used by trained personnel, not the general public, in a low occupancy environment** and where panic situations are not foreseen. For example, offices, private flats and apartments, store rooms.



### Vertical Panic Bolt

- ◆ Two point locking
- ◆ Anti-thrust device and auto top catch to secure when door closed
- ◆ Suitable for use on single & double door
- ◆ Self-handed (single & double door)

08-1028



### Double Rebated Door Panic Set

Comprises vertical panic bolt, reversible rim panic latch and double door strike (for rebated doors)

08-1031



### Reversible Rim Panic Latch

- ◆ Anti-thrust device and auto top catch to secure when door closed
- ◆ Suitable for use on single & double door
- ◆ Handing reversible on site
- ◆ Double door strike available

08-1029



### Mortice Panic Nightlatch

- ◆ Additional security
- ◆ Suitable for use on single & first leaf of double door
- ◆ Handing reversible on site
- ◆ Supplied with dual profile cylinder mortice nightlatch Anti-thrust device.

08-1030

Arrone

Briton



Knob 08-1026  
Lever 08-1027

External Locking/  
Access Options



08-1060



# 14. Locks & Cylinders



**Mortice Sash Lock**



**Dead Lock**




**Architectural Latch**



**Bathroom Lock Case**



**Bathroom Dead Lock**



**Tubular Latch**



**Euro Cylinder**



**Oval Cylinder**



**Night Latch**



**Padlock**



# 15. Fire & Safety Equipment

## Water Extinguishers

A range of quality water extinguishers ideally suited for class A fires involving freely combustible solids containing materials such as paper, wood, straw, textiles etc..

- 45-1001W6 6ltr Cartridge Operated Water Extinguisher 11.4Kg Fire Rating 13A
- 45-1001W9 9ltr Cartridge Operated Water Extinguisher 15.5Kg Fire Rating 13A



## AFFFoam Extinguishers

AFFFoam stored pressure extinguishers are ideal for class A & B fires where volatile liquids such as petrol, oil, fates and paints are involved

- 45-1002F2 2ltr AFFFoam Cartridge Operated Extinguisher 3.1Kg Fire Rating 13A & 183B
- 45-1002F6 6ltr AFFFoam Cartridge Operated Extinguisher 11.1Kg Fire Rating 13A & 183B
- 45-1002F9 9ltr AFFFoam Cartridge Operated Extinguisher 15.4Kg Fire Rating 13A & 183B



## Powder Extinguishers

A range of stored pressure powder extinguishers suitable for fighting class A, B & C fires.

- 45-1003P2 2kg Stored Pressure Powder Extinguisher Charge Weight 3.0Kg Fire Rating 8A & 70B
- 45-1003P6 6kg Stored Pressure Powder Extinguisher Charge Weight 9.9Kg Fire Rating 34A & 133B
- 45-1003P9 9kg Stored Pressure Powder Extinguisher Charge Weight 14Kg Fire Rating 43A & 233B



## CO2 Extinguishers

A range of CO2 extinguishers highly effective against fires involving electrical equipment such as computers, photocopiers, generators etc.. CO2 is a clean extinguishant causing limited secondary damage.

- 45-1004CO2 5kg CO2 Extinguisher Charge Weight 10.76Kg, Fire Rating 55B
- 45-1004CO5 2kg CO2 Extinguisher Charge Weight 5.32Kg, Fire Rating 34B



**Fire Blankets** Tamper evident, front loading, keyhole or multi-point fix. Guaranteed for 10 years, unique heavyweight cloth.BSEN869:1997 Kite Mark Certified, B.A.F.E approved.

45-1009 1m x 1m

45-1009 1.2m x 1.2m

45-1009 1.6m x 1.6m



## Fire & Smoke Door Intumescent Seals

½ hr fire rating. Extensively tested to BS476 parts 22 & 23/6. Manufactured under BS EN ISO 9002. High performance Graphite Core. Unaffected by moisture, humidity or atmospheric pollution. Rapid multi-directional expansion.



Fire & Plain



Fire & Smoke

- 45-2000 45-2010
- 45-2020 45-2030
- 45-2040 45-2050



# 16. Safety & Warning Signs

## BS 5499 Fire Exit/Exit Signs

(Selection of signs available)

Safe conditions signs are manufactured from 1.2mm rigid plastic or permanent self adhesive vinyl. All Fire Exit/Exit signs shown comply to BS5499 part 1, part 4 and The Health & Safety (signs and signals) regulations 1996. It is recommended that a directional arrow should accompany Fire Exit/Exit signs, unless it would cause confusion to do so.



23-1025



23-1027



23-1029



23-1031

Material Options: Vinyl, Rigid, Self Adhesive Rigid

## Emergency Lighting



## Push/Pull Signs



Warning Signs (Selection) 23-1058

23-1059

## Fire Assembly Signs



23-1001



23-1003



Dangerous chemicals



Caution hot water



23-1021



23-1022

Different sizes available upon request

## Mandatory Signs (Selection)



23-1005



23-1011



23-1009



23-1010



23-1011



23-1012

## Prohibition Signs (Selection)



23-1016



23-1017



23-1019

## Fire Equipment Signs (Selection)



23-107X

# 17. Furniture Drawer & Cabinet Locks

Furniture locks are a simple, economical way to secure almost anything. With our wide range of products, we have a model to fit almost any application with locks to meet the requirements of many types of furniture.

## Cabinet Locks



34-1050/1



34-1081



34-1082

## Drawer Locks



34-1084

**Straight & Cranked  
Cam available**

# 17A. Medical, Drugs & Key Cabinets



## Controlled Drugs Cabinet

Medical Drugs cabinets are constructed to comply with the Misuse of Drugs (Safe Custody) Regulations 1973 and BS2881. The cabinets are made of 14's gauge steel and have seven lever locks.

- 45-1015      600mm x 300mm X 225mm (Single Door) - 20kg
- 45-1016      600mm x 600mm x 225mm (Double Door) - 35kg

Fixings holes in back only & Adjustable removable shelves  
Products not included



## Key Cabinet

- Key Cabinet - 17 Hook (H247 x W178 x D75mm)
- Key Cabinet - 27 Hook (H300 x W214 x D80mm)
- Key Cabinet - 51 Hook (H247 x W178 x D75mm)
- Key Cabinet - 63 Hook
- Key Cabinet - 99 Hook
- Key Cabinet -149 Hook

Products not included



34-1075



# 18. Access Control Solutions for single & multi door systems

## Keypad

## Code Lock

## Proximity

## Swipe Card

The Care Standard requires Care and Nursing Homes to control the exit of residents from their premises, especially in situations where residents are vulnerable. At the same time the Fire Service dictates that all exits that are designated Fire Exits are able to be used as such in emergencies. And by doing it yourself or contracting out just the installation, you can dramatically reduce cost.




**Access Control Keypad Entry/Exit**

Fire Exit doors equipped with access control systems cannot be secured from the egress side such that special knowledge or effort is required to unlock the door. The solution is linked to the fire alarm system to satisfy fire regulations. Ideal in situations where exit is required in the event of an emergency, for example via the front door in the event of a fire but control is required at all other times.



**Access Control Proximity Entry/Exit**

### Schematic of Typical Keypad Configuration w/Optional Emergency Door Release



**Access Control Code Lock Entry/Exit**



**Mini Magnet**



**Mini Magnet**



**Magnetic Strike Plate**



**Break Glass Switch**




**Power Supply**



# 19. Indicator Bolts, Thumb Turns & Security Fixings



02-1001NY



02-1001DNY



34-1100SS - 76mm (5mm spindle)  
34-1101SS - 100mm (5mm spindle)



Available in Aluminium & Stainless steel 42-1110



42-1111


## Disabled Bathroom Thumb Turn & Release



42-1107AL Aluminium




42-1109PC with indicator  
42-1109SC with indicator



14-1007



## Security Bolts



14-1004



14-1006

14-1008



14-1005



14-1003



14-1001




14-1002

## Security Bolts

## Bathroom Indicator Bolt

# 20. Nameplates and Signage

## Nameplate Holders & Room Key Tags



### Company Nameplates



05-1010




05-1015

Other variations available

### Card Frame & Holders



05-1006



05-1001/2/3/4

# 21. New Products

## Accessible Locking

### What is Accessible Locking?

It concentrates on three main areas, providing unhindered access to the cylinder thumbturn, eliminating the need to form a grip, the need to rotate the wrist and providing leverage to significantly reduce the force that needs to be applied.



## HELPALARM

### Disabled toilet alarm battery powered kit

The helpalarm is a battery powered disabled toilet alarm. It uses 6 x AA longlife batteries. This unit requires either a ceiling mounted pull cord or wall mounted call button. An optional reset button can also be fitted to enable the system to be reset at or near the point of calling.



## STANDALONE Fire Alarm

The Standalone Fire Alarm is a battery powered unit housed in an attractive robust steel enclosure. Powered by two conventional PP3 Alkaline batteries. (Supplied)



Ideal for Heavy industrial use, Portable buildings, Marquees etc

## ALERTGUARD

### Battery powered ALERTGUARD alarm with integral keyswitch

Code: 01-4001-Batt

- ◆ Keyswitch Control
- ◆ Battery Powered
- ◆ High Power Piezo Sounder
- ◆ Auto Re-arm & Reset Delay (variable)
- ◆ Visual Alarm Indication
- ◆ Batteries and door contact supplied
- ◆ Tamper Switch
- ◆ Extended Battery Life
- ◆ Battery Condition Monitor
- ◆ IMPROVED Chime Facility
- ◆ NEW Selectable Alarm Tones
- ◆ New Simple Function Change By Internal Jumper

12v DC and Mains Operated available in Keyswitch and Keypad  
Also available with delayed timing before alarm sounds used for applications which include freezer doors, exit doors etc

### Battery powered ALERTGUARD with integral Keypad control

Code: 01-4002-Batt

- ◆ Keypad Control
- ◆ Battery Powered
- ◆ Unique Fire Door Checker
- ◆ High Power Piezo Sounder
- ◆ Auto Re-arm & Reset Delay (variable)
- ◆ Visual Strobing Alarm Indication
- ◆ Batteries and door contact supplied
- ◆ Front & Back Acting Tamper Switch
- ◆ Extended Battery Life
- ◆ Battery Condition Monitor
- ◆ Bleep In Off Option
- ◆ IMPROVED Chime Facility
- ◆ NEW Selectable Alarm Tones
- ◆ New Simple Function Change By Internal Jumper

## 22. Sliding Door Gear

### Flyside Panther

#### Range

- ◆ Maximum door weight 90kg (120lb)
- ◆ Maximum door height 2.4m (8ft)
- ◆ Maximum door width 1500mm (5ft)



#### FLYASIDE PANTHER SLIDING DOOR GEAR


##### STANDARD TRACKSETS

- SET 1P – For doors up to 600mm wide.
- SET 2P – For doors 600 - 750mm wide.
- SET 3P – For doors 750 - 900mm wide.
- SET 4P – For doors 900 - 1050mm wide.
- SET 5P – For doors 1050 - 1200mm wide.
- SET 6P – For doors 1200 - 1350mm wide.
- SET 7P – For doors 1350 -1500mm wide.

### Jayson Bottom Rolling

#### CUPBOARD AND WARDROBE DOORS

- ◆ Bottom rolling system for cupboard, wardrobe or similar domestic doors, single or multiple track runs.
- ◆ Maximum door weight 25kg (50lb).
- ◆ Maximum door height 1.5m (5ft).
- ◆ Maximum door width 1m (3ft 3ins)..



### Pocket Door Frame Kit

#### FOR INTERIOR DOORS SLIDING INTO A POCKET WITH- IN THE WALL

APPLICATION: The Pocket Door Frame Kit is a simple way to increase available space in many domestic applications, particularly dining rooms, en-suite bathrooms, cloakrooms and doors into kitchens



- ◆ MAX. DOOR WEIGHT: 56kg (123lb).
- ◆ MAX. DOOR HEIGHT: 2032mm.
- ◆ MAX. DOOR WIDTH: 760mm to 1067mm.
- ◆ DOOR THICKNESS: 35 - 44 mm with & without adaptor.
- ◆ TRACK TYPE: Aluminium.

# Price List

## Care Standard & Fire Service Compliant Locksets

CODE	DESCRIPTION	(£) UNIT PRICE
08-1010PB	Victorian Bedroom Lock Configuration (CSC & FS)	QTY 1 - 25 ----- 65.79 Set
08-1010PB	Victorian Bedroom Lock Configuration (CSC & FS)	QTY 26 - 50 ----- 61.40 Set
08-1010PB	Victorian Bedroom Lock Configuration (CSC & FS)	QTY 51+ POA
08-1011PC	Victorian Bedroom Lock Configuration (CSC & FS)	QTY 1 - 25 ----- 72.75 Set
08-1011PC	Victorian Bedroom Lock Configuration (CSC & FS)	QTY 26 - 50 ----- 67.90 Set
08-1011PC	Victorian Bedroom Lock Configuration (CSC & FS)	QTY 51+ POA
08-1012SC	Victorian Bedroom Lock Configuration (CSC & FS)	QTY 1 - 25 ----- 72.75 Set
08-1012SC	Victorian Bedroom Lock Configuration (CSC & FS)	QTY 26 - 50 ----- 67.90Set
08-1012SC	Victorian Bedroom Lock Configuration (CSC & FS)	QTY 51+ POA
08-1013AL/GA	Victorian Bedroom Lock Configuration (CSC & FS)	QTY 1 - 25 ----- 61.25 Set
08-1013AL/GA	Victorian Bedroom Lock Configuration (CSC & FS)	QTY 26 - 50 ----- 57.16 Set
08-1013AL/GA	Victorian Bedroom Lock Configuration (CSC & FS)	QTY 51+ POA
08-1014AL	Alum Radiused (Safety) Bedroom Lock Configuration (CSC & FS)	QTY 1 - 25 ----- 71.33 Set
08-1014AL	Alum Radiused (Safety) Bedroom Lock Configuration (CSC & FS)	QTY 26 - 50 ----- 66.57 Set
08-1014AL	Alum Radiused (Safety) Bedroom Lock Configuration (CSC & FS)	QTY 51+ POA
08-1015GA	Alum Radiused (Safety) Bedroom Lock Configuration (CSC & FS)	QTY 1 - 25 ----- 70.88 Set
08-1015GA	Alum Radiused (Safety) Bedroom Lock Configuration (CSC & FS)	QTY 26 - 50 ----- 66.15 Set
08-1015GA	Alum Radiused (Safety) Bedroom Lock Configuration (CSC & FS)	QTY 51+ POA
08-1019AL	Alum (Safety) Bedroom Lock Configuration (CSC & FS)	QTY 1 - 25 -----70.13 Set
08-1019AL	Alum(Safety) Bedroom Lock Configuration (CSC & FS)	QTY 26 - 50 ----- 65.45 Set
08-1019AL	Alum (Safety) Bedroom Lock Configuration (CSC & FS)	QTY 51+ POA
08-1019GA	Aluminium (Safety) Bedroom Lock Configuration (CSC & FS)	QTY 1 - 25 ----- 71.51 Set
08-1019GA	Aluminium (Safety) Bedroom Lock Configuration (CSC & FS)	QTY 26 - 50 ----- 65.45 Set
08-1019GA	Aluminium (Safety) Bedroom Lock Configuration (CSC & FS)	QTY 51+ POA
08-1016PB	Edwardian Bedroom Lock Configuration (CSC & FS)	QTY 1 - 25 ----- 70.32 Set
08-1016PB	Edwardian Bedroom Lock Configuration (CSC & FS)	QTY 26 - 50 ----- 65.63 Set
08-1016PB	Edwardian Bedroom Lock Configuration (CSC & FS)	QTY 51+ POA
08-1017PB	Charles Bedroom Lock Configuration (CSC & FS)	QTY 1 - 25 ----- 73.48 Set
08-1017PB	Charles Bedroom Lock Configuration (CSC & FS)	QTY 26 - 50 ----- 68.58 Set
08-1017PB	Charles Bedroom Lock Configuration (CSC & FS)	QTY 51+ POA
08-1017PC	Charles Bedroom Lock Configuration (CSC & FS)	QTY 1 - 25 ----- 74.00 Set
08-1017PC	Charles Bedroom Lock Configuration (CSC & FS)	QTY 26 - 50 ----- 69.06 Set
08-1017PC	Charles Bedroom Lock Configuration (CSC & FS)	QTY 51+ POA
08-1017SC	Charles Bedroom Lock Configuration (CSC & FS)	QTY 1 - 25 ----- 75.01 Set
08-1017SC	Charles Bedroom Lock Configuration (CSC & FS)	QTY 26 - 50 ----- 70.01 Set
08-1017SC	Charles Bedroom Lock Configuration (CSC & FS)	QTY 51+ POA



## DDA, Care Standard & Fire Service Compliant Locksets

CODE	DESCRIPTION	UNIT PRICE (£)
08-1050AL	Bedroom Lock Configuration (DDA, CSC & FS) Ø 19mm	QTY 1 - 25 47.72 Set
08-1050AL	Bedroom Lock Configuration (DDA, CSC & FS) Ø 19mm	QTY 26 - 50 44.53 Set
08-1050AL	Bedroom Lock Configuration (DDA, CSC & FS) Ø 19mm	QTY 51+ POA
08-1050GA	Bedroom Lock Configuration (DDA, CSC & FS) Ø 19mm	QTY 1 - 25 58.16 Set
08-1050GA	Bedroom Lock Configuration (DDA, CSC & FS) Ø 19mm	QTY 26 - 50 54.28 Set
08-1050GA	Bedroom Lock Configuration (DDA, CSC & FS) Ø 19mm	QTY 51+ POA
08-1050SS	Bedroom Lock Configuration (DDA, CSC & FS) Ø 19mm	QTY 1 - 25 49.58 Set
08-1050SS	Bedroom Lock Configuration (DDA, CSC & FS) Ø 19mm	QTY 26 - 50 46.27 Set
08-1050SS	Bedroom Lock Configuration (DDA, CSC & FS) Ø 19mm	QTY 51+ POA
08-1055AL	Bedroom Lock Configuration (DDA, CSC & FS) Ø 22mm	QTY 1 - 25 48.78 Set
08-1055AL	Bedroom Lock Configuration (DDA, CSC & FS) Ø 22mm	QTY 26 - 50 46.27 Set
08-1055AL	Bedroom Lock Configuration (DDA, CSC & FS) Ø 22mm	QTY 51+ POA
08-1055SS	Bedroom Lock Configuration (DDA, CSC & FS) Ø 22mm	QTY 1- 25 49.70 Set
08-1055SS	Bedroom Lock Configuration (DDA, CSC & FS) Ø 22mm	QTY 26 - 50 46.38 Set
08-1055SS	Bedroom Lock Configuration (DDA, CSC & FS) Ø 22mm	QTY 51+ POA

### Dorgard - Acoustic fire door retainer

CODE	DESCRIPTION	UNIT PRICE (£)
08-1008DGBLI	Dorgard - Black (152H x 188W x 38mmL)	POA
08-1008DGBRI	Dorgard - Brown (152H x 188W x 38mmL)	POA
08-1008DGRDI	Dorgard - Red (152H x 188W x 38mmL)	POA
08-1008DGWHI	Dorgard - White (152H x 188W x 38mmL)	POA

### Master Key System

CODE	DESCRIPTION	UNIT PRICE (£)
34-1067UMKTTTPBD	Oval Cylinder Key & Turn D (70mm) - u/Master Key c/w 2 keys	14.45 Each
34-1067UMKTTSCD	Oval Cylinder Key & Turn D (70mm) - u/Master Key c/w 2 keys	14.45 Each
34-1067YMKTTTPBD	Euro Cylinder Key & Turn D (70mm) - u/Master Key c/w 2 keys	14.45 Each
34-1067YMKTTSCD	Euro Cylinder Key & Turn D (70mm) - u/Master Key c/w 2 keys	14.45 Each
34-1068MKD	Master and Submaster Key for Euro & Oval Cylinder	4.88 Each
34-1210PB	Rim Cylinder u/Master Key c/w 2 keys	14.45 Each
34-1210SC	Rim Cylinder u/Master Key c/w 2 keys	14.45 Each
34-1210MK	Master and Submaster Key for Rim Cylinder	4.98 Each
34-1210ADD	Additional Key for Rim Cylinder	3.33 Each

### Window Restrictors

CODE	DESCRIPTION	UNIT PRICE (£)
30-1063SP	Standard Folding Openers SAMPLE Configuration (windows upto 900mm)	POA Set
31-1335BE	Securistay - Wooden Windows	9.61 Each
31-1335WE	Securistay - Wooden Windows	9.61 Each
31-1336BE	Securistay - Metal or uPVC Windows	9.61 Each
31-1336WE	Securistay - Metal or uPVC Windows	9.61 Each
31-133X	Quadilent Stay	POA

## Window Security

CODE	DESCRIPTION	UNIT PRICE (£)
30-1061LEBB	Lockable Stay - 254mm (also available as non-locking)	8.17 Each
30-1061LPCB	Lockable Stay - 254mm (also available as non-locking)	8.17 Each
30-1061LWB	Lockable Stay - 254mm (also available as non-locking)	7.20 Each
30-1062LEBB	Lockable Casement Fastener - 120mm (also available as non-locking)	6.72 Each
30-1062LPCB	Lockable Casement Fastener - 120mm (also available as non-locking)	6.72 Each
30-1062LWB	Lockable Casement Fastener - 120mm (also available as non-locking)	5.65 Each
30-1090W	Snaplock - Wooden windows (4 pack)	36.59 Set
30-1090M	Snaplock - uPVC & Metal windows (4 pack)	33.38 Set
Set30-1095BR	Sash Window Stop/Bolt	9.67 Each
30-1095S	Sash Window Stop/Bolt	17.97 Each
30-1100W	Flush Pivot Lock	15.63 Each
30-1100BR	Flush Pivot Lock (New Design)	15.63 Each
30-1120WH	Sash Jammer (includes sash jammer, lock and 3 packers)	10.35 Each

## Digital Locking System

CODE	DESCRIPTION	UNIT PRICE (£)
34-1069HO	Coded lock - Mortice Latch w/Hold Open Facility	32.00 Each
334-CL290BB.SS	Codelock 200 - Mortice Latch Back to Back	123.56 Each
34-1072-500	Push Button Lock 500 - For use with existing lock	100.30 Each
34-1072-510	Push Button Lock 510 - Incl. tubular mortice latch	117.30 Each
34-1072-510BB	Push Button Lock 510 Back to Back - Incl. tubular mortice latch	189.55 Each
34-1072-515	Push Button Lock 515 - Incl. tubular mortice latch	117.44 Each
34-1072-520	Push Button Lock 520 - Incl. full mortice lock & dead-bolt, key/key euro cylinder	132.60 Each
34-4010/SS	Electronic Access Control Lock - tubular mortice latch	140.25 Each
34-4010/PB	Electronic Access Control Lock - tubular mortice latch	140.25 Each
34-5010/SS	Electronic Access Control Lock - tubular mortice latch	182.90 Each
34-5010/PB	Electronic Access Control Lock - tubular mortice latch	182.90 Each
34-1079-410	Push Button Lock 410 - Incl. tubular mortice latch (60 or 70mm Backset)	94.86 Each
34-1079-410BB	Push Button Lock 410 - Incl. tubular mortice latch (Back to Back)	131.75 Each
34-1079-420	Push Button Lock 420 - Incl. full mortice lock & deadbolt, key/key euro cylinder	100.42 Each
34-1080-255	Codelock 255 - Mortice Latch with Hold Open Facility without key override	61.20 Each
34-1080-255KEY	Codelock 250K - Mortice Latch with Hold Open Facility with key override	81.70 Each
34-1080-290BBK	Codelock 290BBK - Mortice Latch with key override	140.42 Each
34-1080-200KEY	Codelock 200K - Push Button with Surface Deadbolt Lock with Key Override	81.60 Each

## Audio & Video Door Entry Systems

CODE	DESCRIPTION	UNIT PRICE (£)
01-3001	One Way Audio Door Entry System (Surface Mounted)	79.43 Each
01-3002	Two Way Audio Door Entry System (Surface Mounted)	93.12 Each
01-3003	Three Way Audio Door Entry System (Surface Mounted)	112.30 Each
01-3004	One Way Video Door Entry System Colour (Surface Mounted)	449.69 Each

# Surface Protection System

CODE	DESCRIPTION	UNIT PRICE (£)
	PVCu Corner protectors available in following lengths: 900mm, 1220mm, 2440mm & 2740mm	
06-1028-40RP	PVCu Corner Protector 90° (40mm x 40mm) - Length 1220mm	6.71 Each
06-1028-50RP	PVCu Corner Protector 90° (50mm x 50mm) - Length 1220mm	7.01 Each
06-1028-75RP	PVCu Corner Protector 90° (78mm x 78mm) - Length 1220mm	8.00 Each
	135° corner protector available	
	PVCu Wall Protection Panel available cut to size. Sample size & pricing provided below	
06-1031-AWPP	PVCu Wall Protection Panel (Length 2200mm x 600mm)	57.17 Each
06-1031-BWPP	PVCu Wall Protection Panel (Length 2200mm x 400mm)	39.34 Each
06-1031-CWPP	PVCu Wall Protection Panel (Length 2200mm x 300mm)	30.43 Each
06-1031-DWPP	PVCu Wall Protection Panel (Length 2200mm x 200mm)	21.51 Each
06-1031-EWPP	PVCu Wall Protection Panel (Length 2200mm x 100mm)	12.60 Each
	PVCu Door Protection Panel available cut to size. Sample size & pricing provided below	
06-1036-AWPP	PVCu Door Protection Panel (Length 1200mm x 1200mm)	62.03 Each
06-1036-BWPP	PVCu Door Protection Panel (Length 1200mm x 800mm)	42.57 Each
06-1036-CWPP	PVCu Door Protection Panel (Length 1200mm x 600mm)	32.86 Each
06-1036-DWPP	PVCu Door Protection Panel (Length 600mm x 800mm)	23.13 Each
06-1036-EWPP	PVCu Door Protection Panel (Length 600mm x 600mm)	18.27 Each
	PVCu Push/Kick Plates available cut to size. Sample size & pricing provided below	
06-1041-APKP	PVCu Push/Kick Plates (300mm x 1200mm)	18.27 Each
06-1041-BPKP	PVCu Push/Kick Plates (300mm x 800mm)	13.41 Each
06-1041-CPKP	PVCu Push/Kick Plates (300mm x 600mm)	10.97 Each
06-1041-DPKP	PVCu Push/Kick Plates (200mm x 1200mm)	13.41 Each
06-1041-EPKP	PVCu Push/Kick Plates (200mm x 800mm)	10.17 Each
06-1041-FPKP	PVCu Push/Kick Plates (200mm x 600mm)	8.54 Each
06-1041-GPKP	PVCu Push/Kick Plates (100mm x 1200mm)	8.55 Each
06-1041-HPKP	PVCu Push/Kick Plates (100mm x 800mm)	6.92 Each
06-1046-AFP	PVCu Finger Plate (300 x 100mm)	5.35 Each
06-1046-BFP	PVCu Finger Plate (200 x 75mm)	5.35 Each
	Kick Plates available cut to size. Sample size & pricing provided below	
06-0725PBX	Kick Plates (750mm x 150mm)	22.21 Each
06-0825PBX	Kick Plates (825mm x 200mm)	32.09 Each
06-1054SAAX	Kick Plates (750mm x 150mm)	6.04 Each
06-0825SAAX	Kick Plates (825mm x 200mm)	8.37 Each
06-1058SSSX	Kick Plates (750mm x 150mm)	10.64 Each
06-1060SSSX	Kick Plates (825mm x 200mm)	15.12 Each
06-1068PBX	Kick Plates (800mm x 150mm)	23.63 Each
06-1070PBX	Kick Plates (1.5mm Thickness) (800mm x 150mm)	30.83 Each
06-1072SAAX	Kick Plates (1.5mm Thickness) (800mm x 150mm)	9.73 Each
06-1076SSSX	Kick Plates (1.5mm Thickness) (800mm x 150mm)	17.65 Each
	Also available step treads, carpet cover strips / ramps	

## Magnetic Door Retainer and Holder

CODE	DESCRIPTION	UNIT PRICE (£)
31-1334BLE	Electro - Magnetic Door Retainers (Floor/Wall Mounted) - Black	31.21 Each
31-1334WE	Electro - Magnetic Door Retainers (Floor/Wall Mounted) - White	31.21 Each
01-1010	PS-1 Power Supply- 12vDC 1.0 Amp	26.99 Each
01-1011	PS-2 Power Supply- 12vDC 2.0 Amp	45.92 Each
01-1012	Power Supply- 24vDC 1.0 Amp	86.22 Each
01-1016	PS-3 Power Supply- 12vDC 3.0 Amp	91.72 Each

## Magnetic Door Retainer and Holder

CODE	DESCRIPTION	UNIT PRICE (£)
31-1370	Electro - Magnetic Door Retainers (Wall Mounted) - Black	31.20 Each
31-1371	Electro - Magnetic Door Retainers (Floor/Wall Mounted) - White	42.50 Each
31-1372	Electro - Magnetic Door Retainers (Floor/Wall Mounted) - White	100.00 Each

## Door Closures

CODE	DESCRIPTION	UNIT PRICE (£)
31-1052G	Spring Arm Door Closer (Up to 68kg Door) also available in SC & PC	14.17 Each
31-1052PC	Spring Arm Door Closer (Up to 68kg Door)	14.17 Each
31-1052SC	Spring Arm Door Closer (Up to 68kg Door)	14.17 Each
31-1052W	Spring Arm Door Closer (Up to 68kg Door)	12.56 Each
31-1053NP	Concealed Door Closure (Up to 50kg Door)	2.99 Each
31-1053PB	Concealed Door Closure (Up to 50kg Door)	2.99 Each
31-1058PB	Perkomatic Consealed Heavy Duty Jamb Closer	113.331 Each
31-1059	Overhead Door Closer (Size 3) with Cover Silver	17.45 Each
31-1060	Overhead Door Closer (Size 2-4) with BC & DA	37.77 Each
31-1061	Overhead Door Closer (Size 4) with BC & DA	37.77 Each
31-1064	Overhead Door Closer (Power Adjustable Size 2-6) with BC & DA	67.28 Each
31-1229-3SE	Briton 121-0-3 (Doors up to 850mm & 40Kg weight) - Size 3 Silver	19.45 Each
31-1230GE	Door Closure (Doors up to 950mm and 60Kg weight) - Size 3 Gold	20.45 Each
31-1237F	Briton 2003E Fixed Size 3 Silver	65.57 Each
31-1239F	Briton 2515E Adj Size 2-6 c/w B/C and Cover	97.50 Each
31-1329SE	Overhead Door Closure (Size 2-4) w/ BC & DA. Matching Arms (1hr fire tested)	39.50 Each

## Automatic Door Closures

CODE	DESCRIPTION	UNIT PRICE (£)
31-1340SE	Electro-Hydraulic hold open/swing free Door Closure (Size 3/4)-100ma	162.22 Each
31-1400	Automatic Door Operator (Light Duty Swing Doors)	811.76 Each
31-1401	Automatic Door Operator (100Kg) w/Geared Motor	1196.25 Each

## Escape & Panic Hardware

CODE	DESCRIPTION	UNIT PRICE (£)
08-1026	Briton 1413/LE Lever Variant	72.16 Each
08-1027	Briton 1413/KE Knob Variant	72.16 Each
08-1028	Briton 376 Verticle Panic Bolt	66.72 Each
08-1029	Briton 378E Reversible Rim Panic Latch	51.28 Each
08-1030	Briton 379E-N Mortice Panic Nightlatch	84.44 Each
08-1031	Briton 377E Double Rebated Door Panic set	114.77 Each
08-1032	Briton 372E Push Pad Verticle Bolt	59.26 Each
08-1033	Briton 1438E Reversible Push Pad Rim Latch	53.77 Each
08-1034	Briton 389E-N Push Pad Mortice Nightlatch	68.16 Each
08-1060SS	Codelock 500 Escape mechanical External Locking Attachment	91.80 Each

## Locks & Cylinders

CODE	DESCRIPTION	UNIT PRICE (£)
34-1003/4	Tubular Latch - 63/75mm	4.08 Each
34-1005	5 Lever Sash Lock (BS) - 63mm	15.78 Each
34-1006	5 Lever Sash Lock (BS) - 75mm	15.78 Each
34-1007	5 Lever Sash Lock (Non BS) - 63mm)	12.39 Each
34-1008	5 Lever Sash Lock (Non BS) - 75mm	12.39 Each
34-1009	5 Lever Dead Lock (BS) - 63mm	15.78 Each
34-1010	5 Lever Dead Lock (BS) - 75mm	15.78 Each
34-1011	5 Lever Dead Lock (Non BS) - 63mm	12.39 Each
34-1012	5 Lever Dead Lock (Non BS) - 75mm	12.39 Each
34-1017/18	Bathroom Mortice Sash Lock (63/75mm)	12.55 Each
34-1019	Bathroom Deadbolt 63mm (57mm Backset)	5.99 Each
34-1020	Architectural Latch 63mm	5.94 Each
34-10201	Architectural Latch 75mm	5.94 Each
34-1022/3	Dead Lock Case (Euro/Oval Profile) 63/75mm	11.18 Each
34-1025	Sash Lock Case (Euro/Oval Profile) 63/75mm	11.18 Each
08-1036	Night Latch	12.25 Each
03-1100SS	Bathroom Lock for Sliding Door - 76mm (5mm Spindle)	21.98 Each

## Fire & Safety Equipment

CODE	DESCRIPTION	UNIT PRICE (£)
45-1001W6CH	6ltr Cartridge Operated Water Extinguisher	29.33 Each
45-1001W9CH	9ltr Cartridge Operated Water Extinguisher	26.93 Each
45-1002F2CH	2ltr AFFFoam Extinguisher 3.5Kg	23.18 Each
45-1002F6CH	6ltr AFFFoam Cartridge Operated Extinguisher	26.18 Each
45-1002F9CH	9ltr AFFFoam Cartridge Operated Extinguisher	29.48 Each
45-1003P2SH	2Kg Stored Pressure Powder Extinguisher	16.43 Each
45-1003P6SH	6Kg Stored Pressure Powder Extinguisher	28.88 Each
45-1003P9SH	9Kg Stored Pressure Powder Extinguisher	31.28 Each
45-1004C02H	2Kg CO2 Extinguisher	30.15 Each
45-1004C05H	5Kg CO2 Extinguisher	62.63 Each
45-1009H	Fire Blanket (1.0m x 1.0m) BSEN 1869:1997 10yr Guarantee	16.15 Each
45-1010H	Fire Blanket (1.2m x 1.2m) BSEN 1869:1997 10yr Guarantee	19.85 Each
45-2000	Intumescent Seal - 10mm x 4mm (Fire Seal w/Self Adhesive) - 5 Door Pk	13.92 Each
45-2010	Intumescent Seal - 10mm x 4mm (Fire & Smoke Seal w/Self Adhesive) - 5 Door Pk	15.25 Each

**Delivery charge dependent upon quantity and type of extinguisher. Please call sales for additional information**

## Safety & Warning Signs

PRODUCT CODE	DESCRIPTION	UNIT PRICE (£)
23-1001RH	Rigid : Caution Wet Floors - 300mm x 400mm (Single Sided Sign)	5.16 Each
23-1001SARH	S/A Rigid : Caution Wet Floors - 300mm x 400mm (Single Sided Sign)	5.68 Each



## Safety & Warning Signs

PRODUCT CODE	DESCRIPTION	UNIT PRICE (£)
23-1001RH	Rigid : Caution Wet Floors - 300mm x 400mm (Single Sided Sign)	5.16 Each
23-1001SARH	S/A Rigid : Caution Wet Floors - 300mm x 400mm (Single Sided Sign)	5.68 Each
23-1002RH	Caution Wet Floors - 300mm x 400mm (Double Sided)	7.16 Each
23-1003RH	Rigid : CCTV In Operation - 150mm x 200mm	2.21 Each
23-1003SARH	S/A Rigid : CCTV In Operation - 150mm x 200mm	2.43 Each
23-1003VH	Vinyl : CCTV In Operation - 150mm x 200mm	1.51 Each
23-1004SARH	S/A Rigid : CCTV In Operation - 300mm x 400mm	5.68 Each
23-1005RH	Rigid : Fire Door Keep Shut - 75mm x 75mm	1.00 Each
23-1005SARH	S/A Rigid : Fire Door Keep Shut - 75mm x 75mm	1.10 Each
23-1005VH	Vinyl : Fire Door Keep Shut - 75mm x 75mm	0.60 Each
23-1008RH	Rigid : Fire Escape Keep Clear - 100mm x 100mm	1.23 Each
23-1008SARH	S/A Rigid : Fire Escape Keep Clear - 100mm x 100mm	1.35 Each
23-1008VH	Vinyl : Fire Escape Keep Clear - 100mm x 100mm	0.78 Each
23-1010RH	Rigid : Fire Door Keep Locked - 100mm x 100mm	1.23 Each
23-1010SARH	S/A Rigid : Fire Door Keep Locked - 100mm x 100mm	1.35 Each
23-1010VH	Vinyl : Fire Door Keep Locked - 100mm x 100mm	0.78 Each
23-1011RH	Rigid : Automatic Fire Door Keep Clear - 100mm x 100mm	1.23 Each
23-1011SARH	S/A Rigid : Automatic Fire Door Keep Clear - 100mm x 100mm	1.35 Each
23-1011VH	Vinyl : Automatic Fire Door Keep Clear - 100mm x 100mm	0.78 Each
23-1012RH	Rigid : Fire Exit Keep Clear - 100mm x 100mm	1.23 Each
23-1012SARH	S/A Rigid Fire Exit Keep Clear - 100mm x 100mm	1.35 Each
23-1012VH	Vinyl : Fire Exit Keep Clear - 100mm x 100mm	0.78 Each
23-1014RH	Rigid : No Smoking - 100mm x 75mm	1.08 Each
23-1014SARH	S/A Rigid : No Smoking - 100mm x 75mm	1.19 Each
23-1014VH	Vinyl : No Smoking - 100mm x 75mm	0.68 Each
23-1017RH	Rigid : This is A No Smoking AREA - 600mm x 200mm	5.42 Each
23-1017SARH	S/A Rigid : This is A No Smoking AREA - 600mm x 200mm	7.83 Each
23-1019RH	Rigid : Do not use portable telephones - 150mm x 200mm	2.21 Each
23-1019SARH	S/A Rigid : Do not use portable telephones - 150mm x 200mm	2.43 Each
23-1019VH	Vinyl : Do not use portable telephones - 150mm x 200mm	1.51 Each
23-1021RH	Rigid : Fire Point - 300mm x 150mm	2.84 Each
23-1021SARH	S/A Rigid : Fire Point - 300mm x 150mm	3.11 Each
23-1021VH	Vinyl : Fire Point - 300mm x 150mm	2.17 Each
23-1022RH	Rigid : Fire Point - 400mm x 200mm	3.86 Each
23-1022SARH	S/A Rigid : Fire Point - 400mm x 200mm	4.63 Each
23-1025H	Fire Exit Running Man (+ Arrow Up) - 450mm x 150mm (50) S/A R	3.83 Each
23-1027H	Fire Exit Running Man (+ Arrow Down) - 450mm x 150mm (50) S/A R	3.83 Each
23-1029H	Running Man (+ Arrow up & right) Fire Exit - 450mm X 150mm (50) S/A R	3.83 Each
3-1031H	Running Man (+ Arrow down & right) Fire Exit - 450mm x 150mm (50) S/A R	3.83 Each
23-1058RH	"Push Bar To Open (450mm x 200mm) - Vinyl	3.05 Each
23-1059RH	"Push Pad To Open (100mm x 75mm) - Vinyl	0.68 Each
23-1064SAV	Push bar to open (450mm x 75mm) - SA Vinyl	2.05 Each
23-1070SAR	Fire Extinguisher Identification (Foam, Water, Co2, Powder) 400mm x 200mm	5.30 Each
23-1071SAR	Fire Extinguisher Identification - POWER (90mm x 180mm)	3.18 Each
23-1072SAR	Fire Extinguisher Identification - WATER (90mm x 180mm)	3.18 Each
23-1073SAR	Fire Extinguisher Identification - CO2 (90mm x 180mm)	3.18 Each
23-1074SAR	Fire Extinguisher Identification - FOAM (90mm x 180mm)	3.18 Each
23-1075SAR	Fire Extinguisher Identification - CLASS "F" (90mm x 180mm)	3.18 Each
23-1076SAR	Fire Blanket Identification (90mm x 180mm)	3.18 Each
23-1077RH	Rigid : Keep locked shut - 100mm x 100mm	1.23 Each
23-1077SARH	S/A Rigid keep locked shut - 100mm x 100mm	1.35 Each
23-1077VH	Vinyl : Keep locked shut - 100mm x 100mm	0.78 Each

## Furniture (Drawer & Cabinet) Locks

PRODUCT CODE	DESCRIPTION	UNIT PRICE (£)
34-1050SB	Cabinet Lock (large) (65mm x 35mm)	4.50 Each
34-1051SB	Cabinet Lock (small) (50mm x 32mm)	3.92 Each
34-1081PB/PC	Drawer Lock	4.88 Each
34-1082PB/PC	Cabinet Lock	4.88 Each
34-1083-11MM	Cam Lock 11mm (Nut Fix)	3.17 Each
34-1083-16MM	Cam Lock 16mm (Nut Fix)	3.17 Each
34-1083-20MM	Cam Lock 20mm (Nut Fix)	3.17 Each
34-1083-22MM	Cam Lock 22mm (Nut Fix)	3.17 Each
34-1083-27MM	Cam Lock 27mm (Nut Fix)	3.17 Each
34-1083-32MM	Cam Lock 32mm (Nut Fix)	3.17 Each

## Medical, Drugs & Key Cabinets

CODE	DESCRIPTION	UNIT PRICE (£)
34-1075-18K	Key Cabinet - 18 Hook	23.25 Each
34-1075-28K	Key Cabinet - 28 Hook	31.19 Each
34-1075-54K	Key Cabinet - 54 Hook	57.41 Each
34-1075-140K	Key Cabinet - 149 Hook	127.14 Each
45-1015	Controlled Drugs Cabinet (605mm x 300mm x 200mm)	276.38 Each
45-1016	Controlled Drugs Cabinet (605mm x 605mm x 200mm)	361.80 Each

## Access Control Solutions

CODE	DESCRIPTION	UNIT PRICE (£)
01-1001	One-Way Door Access Control System (Coded Lock Configuration) - LIGHT	99.86 Each
01-1002	One-Way Door Access Control System (Coded Lock Configuration) - MEDIUM	164.30 Each
01-1003	One-Way Door Access Control System (Coded Lock Configuration) - HEAVY	188.06 Each
01-1004	One-Way Door Access System (Keypad - Grey Plastic)	126.78 Each
01-1005	One-Way Door Access System (Keypad - Satin Stainless)	177.42 Each
01-2001	Two-Way Door Access System (Coded Lock Configuration) - LIGHT	231.36 Each
01-2002	Two-Way Door Access System (Coded Lock Configuration) - MED	245.40 Each
01-2003	Two-Way Door Access System (Coded Lock Configuration) - HEAVY	220.00 Each
01-2004	Two-Way Door Access System (Keypad - Grey Plastic)	286.59 Each
01-2005	Two-Way Door Access System (Keypad - Satin Stainless)	277.02 Each
01-1010	PS-1 Power supply (12vDC (1 Amp)	26.99 Each
01-1011	PS-2 Power supply (12vDC (2 Amp)	45.72 Each
01-1012	PS-1 Power supply (24vDC (1 Amp)	86.22 Each
01-1014	Break Glass Switch	11.78 Each
01-1015	Flush Mounted Door Release Button Stainless Steel Finish	19.66 Each
01-1019	Wide Button Door Release Switch	10.59 Each
01-1024	Surface Mounted "Green Dome" Door Release Button	20.17 Each
01-1009-Safe	Magnetic Strike Plate - Fail Safe (12vAC/12vDC)	17.48 Each

## Indicator Bolts, Thumb Turns & Security Fixings

02-1001DNY	Disabled Bathroom Turn & Indicator	12.50 Each
02-1001NY	Bathroom Turn & Indicator	7.35 Each

CODE	DESCRIPTION	UNIT PRICE (£)
09-1026-6P	Disabled Thumb Turn & release w/Indicator - 6mm Spindle 52m	15.00 Each
09-1026-6S	Disabled Thumb Turn & release w/Indicator - 6mm Spindle 52m	14.92 Each
09-1026-8P	Disabled Thumb Turn & release w/Indicator - 8mm Spindle 52m	14.92 Each
09-1026-8S	Disabled Thumb Turn & release w/Indicator - 8mm Spindle 52m	14.92 Each
14-1001PB	Bathroom Indicator Bolt (64mm x 38mm)	12.88 Each
14-1001PC	Bathroom Indicator Bolt (64mm x 38mm)	15.47 Each
14-1002PB	Indicator Bolt w/Emergency Release (57mm x 20mm)	15.51 Each
14-1002PC	Indicator Bolt w/Emergency Release (57mm x 20mm)	19.40 Each
14-1003PB	Security Bolt w/Turn (57mm x 20mm)	12.98 Each
14-1003PC	Security Bolt w/Turn (57mm x 20mm)	14.26 Each
14-1004PB	Security Door Bolt (57mm)	1.79 Each
14-1004PC	Security Door Bolt (57mm)	1.96 Each
14-1004SC	Security Door Bolt (57mm)	2.07 Each
14-1005PB	Bathroom Bolt	5.67 Each
14-1004K	Key for Security Door Bolt	0.34 Each
14-1005PB	Bathroom Bolt	6.12 Each
14-1005PC	Bathroom Bolt	7.48 Each
14-1007PB	Bathroom Indicator Bolt (60mm x 40mm)	9.28 Each
14-1007PC	Bathroom Indicator Bolt (60mm x 40mm)	10.32 Each
14-1007SC	Bathroom Indicator Bolt (60mm x 40mm)	11.35 Each
14-1008PB	Bathroom Indicator Bolt (60mm x 40mm) Diecast	4.93 Each
42-1107AL	Disabled Bathroom Indicator Bolt	22.31 Each
14-1008PCB	Bathroom Indicator Bolt (60mm x 40mm) Diecast	5.02 Each
14-1008SCB	Bathroom Indicator Bolt (60mm x 40mm) Diecast	5.02 Each
34-1100SS	Bathroom Lock for Sliding Door - 76mm (5mm Spindle)	13.44 Each
34-1101SS	Bathroom Lock for Sliding Door - 100mm (5mm Spindle)	13.44 Each
42-1109SCI	Lever Disabled Indicator Bolt	16.24 Each
42-1109PCI	Lever Disabled Indicator Bolt	16.24 Each
42-1110SCIF	Disabled Turn & Indicator	19.45 Each
42-1111ALF	Disabled Turn & Indicator	20.26 Each
14-1006PB	Bathroom Indicator Bolt	10.71 Each


## Nameplates & Signage

05-1001SK	Nameplate Flexible Laminate 1.5mm Thickness (80mm x 35mm)	3.75 Each
05-1001LK	Nameplate Flexible Laminate 1.5mm Thickness (100mm x 35mm)	4.50 Each
05-1002SK	Nameplate Rigid Laminate 1.5mm Thickness (80mm x 35mm)	2.90 Each
05-1002LK	Nameplate Rigid Laminate 1.5mm Thickness (100mm x 35mm)	2.90 Each
05-1003SK	Nameplate Mother of Pearl 3mm Thickness (80mm x 35mm)	5.00 Each
05-1003LK	Nameplate Mother of Pearl 3mm Thickness (100mm x 35mm)	6.00 Each
05-1004SK	Nameplate 1.5mm Thickness (80mm x 35mm) (SAA, GAA)	4.50 Each
05-1004LK	Nameplate 1.5mm Thickness (100mm x 35mm) (SAA, GAA)	5.75 Each
05-1005K	Room Key Tags 3mm Thickness 127mm x 38mm	3.50 Each
05-1006LPBD	Card Frame - Large (113mm x 86mm)	2.89 Each
05-1006SPBD	Card Frame - Small (75mm x 38mm)	1.55 Each
05-1006LSiD	Card Frame - Large (113mm x 86mm)	4.33 Each
05-1006SSiD	Card Frame - Small (75mm x 38mm)	2.32 Each
05-1010	Company Nameplates (Price On Application)	POA Each
05-1015SGM/SSM	Door signs on track incl. insert and engraving (203mm x 25mm)	8.80 Each
05-1015GLM/SLM	Door signs on track incl. insert and engraving (203mm x 50mm)	9.80 Each

## New Products

	Accessible Locking	POA
01-4001-Batt	AlertGuard - Battery Powered alarm w/integral keyswitch	65.73 Each
01-4002-Batt	AlertGuard- Battery Powered alarm w/integral keypad	82.99 Each
01-4003-Batt	AlertGuard- Battery powered alarm w/integral keypad - DELAY TIME	83.20 Each
01-4001-DC	AlertGuard- 12vdc powered alarm w/integral keyswitch	67.46 Each
01-4002 -DC	AlertGuard- 12vdc powered alarm w/integral keypad	94.83 Each
01-4003 -DC	AlertGuard- 12vdc powered alarm w/integral keypad - DELAY TIME	104.58 Each
01-4001-Mains	AlertGuard- Mains powered alarm w/integral keyswitch	83.28 Each
01-4002-Mains	AlertGuard- Mains powered alarm w/integral keypad	120.54 Each
60-1000	Finger Protection - Single Set (1.95m) Front Set	13.58 Each
60-1010	Finger Protection - Full Set (1.95m) Front & Rear Set	21.00 Each
01-4101.BKITR	Helpalarm - Battery Powered w/Ceiling mounted pull cord & wall mounted call button	86.45 Each
01-4103.BKITR	Helpalarm - 240VAC/12VDC w/Ceiling mounted pull cord & wall mounted call button	101.64 Each
01-4200	Standalone Battery Powered Fire Alarm	99.32 Each

Products are supplied in accordance with our standard terms and conditions. Goods are invoiced at prices ruling at the date of despatch. All previous price lists are cancelled. Prices are subject to alteration or change without notice and do not include carriage and VAT.



# Specialist Supplier to the Care Sector

**"COMMITMENT TO QUALITY & SERVICE"**





# TABLE OF CONTENTS

	<b>Page</b>
1. Care Standard & DDA Compliant Bedroom Locks -----	1
2. Care & Fire Service Compliant Bedroom Lockset-----	2
3. Dorgard - acoustic fire door hold open device -----	3
4. Master Key Systems -----	4
5. Window Restrictors -----	5
6. Window Security -----	6
7. Digital Locking Systems (Coded Locks) -----	7
8. Audio and Video Door Entry Systems -----	8
9. Surface Protection System -----	9
10. Magnetic Door Retainer/Holder -----	10
11. Door Closers standard, Swing-Free & Hold Open -----	11
12. Automatic Door Closers (DDA Compliant) -----	12
13. Escape & Panic Hardware -----	13
14. Locks & Cylinders -----	14
15. Fire & Safety Equipment -----	15
16. Safety & Warning Signs -----	16
17. Furniture (Drawer & Cabinet) Lock - , Medical, Drugs & Key Cabinets ---	17
18. Access Control Solutions for single & multi door systems -----	18
19. Indicator Bolts and Turn & Release -----	19
20. Nameplates and Signage -----	20
21. New Products -----	21
22. Sliding Door Gear -----	22